Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	link.in. and davidescu.in.	US-PGPUB; USPAT	OR	ON	2005/04/28 12:58
S2	337	"dump mode"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/02 11:27
S3	59	"dump mode" and memory and test$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/05 10:57
S4	12	"dump mode" and memory near3 test$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 12:58
S5	5090	713/164-165,193,200;714/718, 763,807.ccls.	US-PGPUB; USPAT	OR	ON	2004/07/02 17:37
S6	2	713/164-165,193,200;714/718, 763,807.ccls. and "dump mode"	US-PGPUB; USPAT	OR	ON	2005/04/28 12:59
S7	26	"5058164".URPN.	USPAT	OR	ON	2005/04/28 12:59
S8	2	("4087626" | "4157454").PN.	USPAT	OR	ON	2004/07/02 11:59
S9	60	"dump mode" and ((memory or data) near5 (access or protect$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 13:00
S10	74	("dump mode" or "memory dump" or "rom dump" or "eprom mode") and (checksum or crc or singature or hash)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 13:01
S11	1	"dump attack" with memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 13:02
S12	404	713/193.ccls.	USPAT	OR	ON	2004/07/02 13:53
S13	0	713/193.ccls. and ((stop$3 or prevent$3) near3 (intermediate near2 (result or output or signal or value)))	USPAT	OR	ON	2005/04/28 13:02

S14	109	(checksum or crc) with (intermediate near2 (result or output or signal or value))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/02 13:57
S15	35664	(protect$3 near3 (data or memory))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/02 14:12
S16	6606	((protect$3 near3 (data or memory))) and (crc or checksum or signature or mac)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/02 14:13
S17	50	((protect$3 near3 (data or memory))) and ((prevent$3 or inhibit$3 or allow$3) near5 ((intermediate or cumulative) near2 (result$1 or value$1 or output$1 or signal$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 13:03
S18	0	713/164-165,193,200;714/718, 763,807.ccls. and ("dump mode" or "memory dump" or "rom dump" or "eprom mode") with (checksum or crc or singature or hash)	US-PGPUB; USPAT	OR	ON	2005/04/28 13:12
S19	16	713/164-165,193,200;714/718, 763,807.ccls. and ("dump mode" or "memory dump" or "rom dump" or "eprom mode")	US-PGPUB; USPAT	OR	ON	2005/04/28 13:13
S20	0	"6230291".URPN.	USPAT	OR	ON	2005/04/28 13:13
S21	3	("5506396" | "5534786" | "6006345").PN.	USPAT	OR	ON	2004/07/02 15:41
S22	1	dump near5 attack with memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 13:13
S23	5090	713/164-165,193,200;714/718, 763,807.ccls.	US-PGPUB; USPAT	OR	ON	2004/07/03 16:58
S24	22	713/164-165,193,200;714/718, 763,807.ccls. and ($2rom near5 (checksum or crc))	US-PGPUB; USPAT	OR	ON	2005/04/28 13:14
S25	5090	713/164-165,193,200;714/718, 763,807.ccls.	US-PGPUB; USPAT	OR	ON	2004/07/03 16:58
S26	3	713/164-165,193,200;714/718, 763,807.ccls. and (($3rom near3 scan) same (checksum or crc))	US-PGPUB; USPAT	OR	ON	2005/04/28 13:14
S27	1	("5022077").PN.	USPAT; USOCR	OR	OFF	2004/07/03 17:14

S28	243	(bios near2 rom) with (checksum or crc or sign$5 or hash$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/05 15:13
S29	16	((bios near2 rom) with (checksum or crc or sign$5 or hash$3)) not signal$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 13:15
S30	1	("6411941").PN.	USPAT; USOCR	OR	OFF	2004/07/05 11:51
S31	1	("5421006").PN.	USPAT; USOCR	OR	OFF	2004/07/05 12:13
S32	7	((checksum or crc) with rom) and samsung	US-PGPUB; USPAT	OR	ON	2005/04/28 13:32
S33	69	(microcontroller$1 near2 (advantage$1 or benefit$1)) and @ad<"20001127"	USPAT	OR	ON	2005/04/28 13:50
S34	25	("4211919" | "4499556" | "4521853" | "4590552" | "4698750" | "4958276" | "5012410" | "5014191" | "5067077" | "5134700" | "5168559" | "5210841" | "5247621" | "5251304" | "5278962" | "5305460" | "5355466" | "5379443" | "5396609" | "5404450" | "5404547" | "5432950" | "5446864" | "5557743" | "5581763").PN.	USPAT	OR	ON	2004/07/05 15:35
S35	15342	reset near5 latch$3	USPAT	OR	ON	2004/07/06 12:17
S36	2318	reset near3 latch$3 near6 gate and @ad<"20001127"	USPAT	OR	ON	2004/07/06 12:19
S37	70	(reset near3 latch$3 near6 gate) and ((software or data) near2 protect$3)	USPAT	OR	ON	2005/04/28 13:53
S38	1230	(reset near (circuit or means)) with latch	USPAT	OR	ON	2004/07/06 12:34
S39	19	((reset near (circuit or means)) with latch) and ((software or data) near2 protect$3) and @ad<"20001127"	USPAT	OR	ON	2005/04/28 13:53
S40	2	reverse$1engineer$3 with (checksum or crc)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 14:09

S41	26	((reverse$1engineer$3 or trac$3) near2 (program or code)) with (checksum or crc)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 14:10
S42	2	((reverse$1engineer$3 or trace or tracing) near2 (program or code)) with (checksum or crc)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 14:14
S43	200	((verif$7 or authentic$5) near2 (program or code)) with hash$3	USPAT	OR	ON	2004/07/06 18:36
S44	2	("5787367" | "5844986").PN.	USPAT	OR	ON	2004/07/06 18:37
S45	136	((device or system) near2 reset$3) with exit$3	USPAT	OR	ON	2004/07/07 15:56
S46	13	((device or system) near2 reset$3) with (exit$3 near3 (routine or module or execut$3))	USPAT	OR	ON	2005/04/28 14:15
S152	1	link.in. and davidescu.in.	US-PGPUB; USPAT	OR	ON	2005/04/28 12:58
S153	14	"dump mode" and memory near3 test$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/16 17:16
S154	2	713/164-165,193,200;714/718, 763,807.ccls. and "dump mode"	US-PGPUB; USPAT	OR	ON	2005/12/16 17:36
S155	32	"5058164".URPN.	USPAT	OR	ON	2005/04/28 12:59
S156	63	"dump mode" and ((memory or data) near5 (access or protect$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 13:00
S157	82	("dump mode" or "memory dump" or "rom dump" or "eprom mode") and (checksum or crc or singature or hash)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 13:01
S158	1	"dump attack" with memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 13:02
S159	1	713/193.ccls. and ((stop$3 or prevent$3) near3 (intermediate near2 (result or output or signal or value)))	USPAT	OR	ON	2005/04/28 13:03

S16 0	72	((protect$3 near3 (data or memory))) and ((prevent$3 or inhibit$3 or allow$3) near5 ((intermediate or cumulative) near2 (result$1 or value$1 or output$1 or signal$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 13:03
S16 1	0	713/164-165,193,200;714/718, 763,807.ccls. and ("dump mode" or "memory dump" or "rom dump" or "eprom mode") with (checksum or crc or singature or hash)	US-PGPUB; USPAT	OR	ON	2005/12/19 14:59
S16 2	17	713/164-165,193,200;714/718, 763,807.ccls. and ("dump mode" or "memory dump" or "rom dump" or "eprom mode")	US-PGPUB; USPAT	OR	ON	2005/04/28 13:13
S16 3	0	"6230291".URPN.	USPAT	OR	ON	2005/04/28 13:13
S16 4	1	dump near5 attack with memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 13:13
S16 5	24	713/164-165,193,200;714/718, 763,807.ccls. and ($2rom near5 (checksum or crc))	US-PGPUB; USPAT	OR	ON	2005/04/28 13:14
S16 6	3	713/164-165,193,200;714/718, 763,807.ccls. and (($3rom near3 scan) same (checksum or crc))	US-PGPUB; USPAT	OR	ON	2005/04/28 13:14
S16 7	18	((bios near2 rom) with (checksum or crc or sign$5 or hash$3)) not signal$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 13:15
S16 8	9	((checksum or crc) with rom) and samsung	US-PGPUB; USPAT	OR	ON	2005/04/28 13:32
S16 9	70	(microcontroller$1 near2 (advantage$1 or benefit$1)) and @ad<"20001127"	USPAT	OR	ON	2005/04/28 13:51
S17 1	70	(reset near3 latch$3 near6 gate) and ((software or data) near2 protect$3)	USPAT	OR	ON	2005/04/28 13:53
S17 2	19	((reset near (circuit or means)) with latch) and ((software or data) near2 protect$3) and @ad<"20001127"	USPAT	OR	ON	2005/04/28 13:53
S17 3	2	reverse$1engineer$3 with (checksum or crc)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 14:09

S17 4	2	((reverse$1engineer$3 or trace or tracing) near2 (program or code)) with (checksum or crc)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 14:14
S17 5	13	((device or system) near2 reset$3) with (exit$3 near3 (routine or module or execut$3))	USPAT	OR	ON	2005/04/28 14:16
S17 6	2093	711/154,156,163-164,166.ccls. and (@ad<"20001127" or @rlad<"20001127")	USPAT	OR	ON	2005/04/28 14:17
S17 7	188	S176 and ((dumb near2 mode) or checksum or crc or hash)	USPAT	OR	ON	2005/04/28 14:20
S17 8	0	S176 and ((dumb near2 mode) with (checksum or crc or hash))	USPAT	OR	ON	2005/04/28 14:19
S17 9	10	("4734568" | "4811291" | "4813024" | "4864541" | "5432950" | "5465349" | "5467396" | "5517569" | "5815577" | "6061280").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/28 15:22
S18 0	18	("4467444" | "4584665" | "4698750" | "5099516" | "5101498" | "5144659" | "5175840" | "5191608" | "5224166" | "5251304" | "5255244" | "5282247" | "5349249" | "5351216" | "5379433" | "5386469" | "5388157" | "5396609").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/28 14:58
S18 1	6	("5860099").URPN.	USPAT	OR	ON	2005/04/28 15:11
S18 2	3805784	($5controller$1 or $5processor$1 or semi$1conductor$1 or chip$1 or "ic card")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 15:25
S18 3	3	S182 and (($3rom or non$1volatile) near4 (software or information or code or content or microcode) near2 (sensitive or proprietary)) and ((illicit or unauthorized or illegal) near2 (access or read))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 15:31
S18 4	0	(dumb near2 (mode or memory)) same ((intermediate or partial) near2 (checksum or crc))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 15:33

S18 5	11	(checksum or crc) same ((prevent$3 or stop$3 or allow$3) near3 (reconstruct$3 or reconstitut$3 or deduc$3 or trac$3) near3 (data or content or byte or code or software or microcode or information))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 16:07
S18 6	0	(dumb near2 (memory or mode)) same ((prevent$3 or stop$3) near3 (reconstruct$3 or reconstitut$3 or deduc$3 or trac$3) near3 (data or content or byte or code or software or microcode or information))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 16:00
S19 1	19	dump with memory same test same (reset$4 reboot$3 boot$3 restart$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/16 17:20
S19 2	11	S191 and (@ad<"20001127" or @rlad<"20001127")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/16 17:20
S19 5	4808	713/164-165, 193;726/34;714/718,763, 807;711/154,156,163-164,166. ccls. and (@ad<"20001127" or @rlad<"20001127")	US-PGPUB; USPAT	OR	ON	2005/12/19 14:58
S19 6	2698	S195 and ((memory $3rom bios) with (checksum crc hash$3 digest sign$5))	US-PGPUB; USPAT	OR	ON	2005/12/16 17:48
S19 7	298	S195 and ((memory $3rom bios) with (checksum crc hash$3 digest))	US-PGPUB; USPAT	OR	ON	2005/12/16 17:49
S19 8	65	S195 and ((memory $3rom bios) with (checksum crc hash$3 digest) same (reset$4 reboot$3 boot$3 restart$3))	US-PGPUB; USPAT	OR	ON	2005/12/16 17:50
S20 0	4808	713/164-165, 193;726/34;714/718,763, 807;711/154,156,163-164,166. ccls. and (@ad<"20001127" or @rlad<"20001127")	US-PGPUB; USPAT	OR	ON	2005/12/19 14:58
S20 1	0	S200 and (((dump near2 (mode memory $3rom)) (eprom near2 mode)) with (checksum or crc or singature or hash))	US-PGPUB; USPAT	OR	ON	2005/12/19 17:42

S20 3	0	S200 and (((dump near2 (mode memory $3rom)) (eprom near2 mode)) same (checksum or crc or singature or hash))	US-PGPUB; USPAT	OR	ON	2005/12/19 15:02
S20 4	23	S200 and (((dump near2 (mode memory $3rom)) (eprom near2 mode))	US-PGPUB; USPAT	OR	ON	2005/12/19 15:02
S20 5	50	("5058164").URPN.	USPAT	OR	ON	2005/12/19 15:42
S20 6	26	(checksum crc) same ((prevent$3 stop$3 allow$3) near3 (reconstruct$3 reconstitut$3 deduc$3 trac$3 reverse$1engineer$3) with (data content byte code software program microcode information))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 17:06
S20 7	15	S206 and (@ad<"20001127" or @rlad<"20001127")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 17:07
S20 8	1	((dump near2 (mode memory $3rom)) (eprom near2 mode)) same (checksum or crc or singature or hash) same ((memory storage) near3 protect$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 17:43
S21 0	26	(((memory $3rom) with (validat$3 checksum hash$3 digest crc)) and ((value result output signal) with (reset$3 reboot$3 restart$3))). clm.	US-PGPUB	OR	ON	2005/12/23 18:57